



Test Report

Date : 2020-06-01
No. : HC20050768

Page 1 of 2

- Applicant(Code:01325447) :** Newton (HK) Limited
Rooms 303 & 304 Yee Kuk Industrial Centre
555 Yee Kuk Street
Cheung Sha Wan Kln HK
- Description of Sample(s) :** One submitted sample said to be Medcross medical mask (3 layers).
Country of Origin : HK
- Sample(s) Received Condition(s):** In plastic bag under ambient temperature
- Date Sample(s) Received :** 2020-05-21
- Date Tested :** 2020-05-22 to 2020-05-29
- Investigation Requested :**
1. Total bacterial count
 2. Total fungal count
 3. Coliforms
 4. Hemolytic *streptococcus*
 5. *Pseudomonas aeruginosa*
 6. *Staphylococcus aureus*
- Conclusion(s) :** The test results of the submitted sample **complied** with the limits of GB15979-2002 Hygienic Standard for Disposable Sanitary Products.



LEE Paul
Authorized Signatory
Chemical and Food Department
For and on behalf of
The Hong Kong Standards and Testing Centre Ltd.

Note: When a statement of conformity to a specification or standard is provided, the ILAC-G8 Guidance document (and/or IEC Guide 115 in the electrotechnical sector) will be adopted as a decision rule for the determination of conformity unless it is inherent in the requested specification or standard, or otherwise specified in the Report.



Test Report

Date : 2020-06-01
No. : HC20050768

Page 2 of 2

Method(s) Used:

GB15979–2002 Hygienic Standard for Disposable Sanitary Products, Appendix B.

Test Result(s):

Test Item(s)	Medcross medical mask (3 layers)	Microbial Limit (GB 15979-2002) *
1. Total bacterial count	<20 CFU/g	≤200 CFU/g
2. Total fungal count	<20 CFU/g	≤100 CFU/g
3. Coliforms	Not detected	Not detected
4. Hemolytic <i>streptococcus</i>	Not detected	Not detected
5. <i>Pseudomonas aeruginosa</i>	Not detected	Not detected
6. <i>Staphylococcus aureus</i>	Not detected	Not detected

Notes: - CFU/g denotes colony forming unit per gram

- < denotes less than

- ≤ denotes less than or equal to

- # denotes failed item

- *These limits are only applicable to products that are in intact original package. Products that are already in use or have their package broken are not included.

***** End of Test Report *****

The Hong Kong Standards and Testing Centre Limited

10 Dai Wang Street, Tai Po Industrial Estate, Tai Po, N.T., Hong Kong

Tel: +852 2666 1888 Fax: +852 2664 4353 Email: hkstc@stc.group Website: www.stc.group

This report shall not be reproduced unless with prior written approval from The Hong Kong Standards and Testing Centre Limited.

For Conditions of Issuance of this test report, please refer to the overleaf and Website.

Conditions of Issuance of Test Reports

1. All samples and goods are accepted by The Hong Kong Standards & Testing Centre Limited (the “Company”) solely for testing and reporting in accordance with the following terms and conditions. The Company provides its services on the basis that such terms and conditions constitute express agreement between the Company and any person, firm or company requesting its services (the “Clients”).
2. Any report issued by the Company as a result of this application for testing service (the “Report”) shall be issued in confidence to the Clients and the Report will be strictly treated as such by the Company. It may not be reproduced either in its entirety or in part and it may not be used for advertising or other unauthorized purposes without the written consent of the Company. The Clients to whom the Report is issued may, however, show or send it, or a certified copy thereof prepared by the Company to his customer, supplier or other persons directly concerned. The Company will not, without the consent of the Clients, enter into any discussion or correspondence with any third party concerning the contents of the Report, unless required by the relevant governmental authorities, laws or court orders.
3. The Company shall not be called or be liable to be called to give evidence or testimony on the Report in a court of law without its prior written consent, unless required by the relevant governmental authorities, laws or court orders.
4. The Report refers only to the sample tested and does not apply to the bulk, unless the sampling has been carried out by the Company and is stated as such in the Report.
5. In the event of the improper use of the report as determined by the Company, the Company reserves the right to withdraw it, and to adopt any other additional remedies which may be appropriate.
6. Samples submitted for testing are accepted on the understanding that the Report issued cannot form the basis of, or be the instrument for, any legal action against the Company.
7. The Company will not be liable for or accept responsibility for any loss or damage howsoever arising from the use of information contained in any of its Reports or in any communication whatsoever about its said tests or investigations.
8. Clients wishing to use the Report in court proceedings or arbitration shall inform the Company to that effect prior to submitting the sample for testing.
9. Subject to the variable length of retention time for test data and report stored hereinto as otherwise specifically required by individual accreditation authorities, the Company will only keep the supporting test data and information of this test report for a period of three years. The data and information will be disposed of after the aforementioned retention period has elapsed. Under no circumstances shall we provide any data and information which has been disposed of after the retention period. Under no circumstances shall we be liable for damages of any kind, including (but not limited to) compensatory damages, lost profits, lost data, or any form of special, incidental, indirect, consequential or punitive damages of any kind, whether based on breach of contract of warranty, tort (including negligence), product liability or otherwise, even if we are informed in advance of the possibility of such damages.
10. Issuance records of the Report are available on the internet at www.stc.group. Further enquiry of validity or verification of the Reports should be addressed to the Company.